

# CROSS-CUTTING FORM 2018/XXXXXX

#

<b>Cross-cutting Operator:</b>	[Confidential information removed]	<b>Cross-cutting Site Name:</b>	[Confidential information removed]
		<b>Cross-cutting Site Type:</b>	Resource Area
<b>TIN:</b>	[Confidential information removed]	<b>Log Measurer:</b>	[Confidential information removed]
<b>Cross-cutting From Date:</b>	10-18-2018	<b>Cross-cutting To Date:</b>	11-10-2018
<i>To be completed by the Trade operator</i>		<i>To be completed by FDA</i>	
<b>Issued Date:</b>		<b>Issued Date:</b>	
<b>Issued by:</b>		<b>Issued by:</b>	
<b>Signature:</b>		<b>Signature:</b>	

## LIST OF CROSS-CUT LOGS

			<i>Diameter (cm underbark to the nearest cm)</i>					
			<i>Butt End</i>		<i>Top End</i>			
<b>Original Log Tag #</b>	<b>Species</b>	<b>Cross-cut Log Tag #</b>	<b>1st</b>	<b>2nd</b>	<b>3rd</b>	<b>4th</b>	<b>Lenght(m)</b>	<b>Comment</b>
AA002SXD	LOP	AB094GRK	88	84	69	67	14.30	
AA002SXD	LOP	AB095GRH	69	67	67	64	9.10	
AA004SX9	LOP	AB151GRT	74	69	69	67	6.70	
AA004SX9	LOP	AB150GRW	80	78	74	69	11.50	
AA018SKN	LOP	AA801SV3	122	122	118	118	9.70	
AA018SKN	LOP	AA802SV1	139	129	117	104	11.70	
AA199STT	LOP	AB159GRB	86	78	77	76	8.20	
AA199STT	LOP	AB158GRD	86	86	85	78	11.10	
AA440SX5	LOP	AB093GRM	137	104	113	96	11.40	
AA440SX5	LOP	AB092GRP	105	97	96	89	11.60	
AA449TBR	LOP	AB079GRB	118	113	101	92	11.20	
AA449TBR	LOP	AB080GRV	101	92	97	80	9.10	
AA530SX4	LOP	AB085GRJ	89	82	82	71	10.40	
AA530SX4	LOP	AB086GRG	106	96	89	82	12.70	
AA750SW0	LOP	AB177GRD	102	86	82	79	11.50	
AA750SW0	LOP	AB176GRF	81	80	83	67	8.10	
AA778TAL	LOP	AB067GRG	88	77	79	77	8.10	
AA778TAL	LOP	AB068GRE	79	76	68	67	9.80	
AA815SWR	LOP	AA781SXS	126	116	106	92	11.50	
AA815SWR	LOP	AA780SXV	99	97	104	87	9.00	
AA860SWX	LOP	AB156GRH	110	100	90	85	12.10	
AA860SWX	LOP	AB157GRF	90	85	85	80	7.10	
AA926SWL	LOP	AB091GRR	100	92	93	81	9.00	